

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na <sub>2</sub> O	M	DT
50mm		5000kcal kg	18% 40%	2.5 %	2.0 %	8%	1350
		4700kcal kg	15% 42%	4.0 %	2.0 %	---	---

1.

3

3000

0.02 / .

2

2024 10 21 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13 %

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

90% 110%

1000

1000

90%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 10

<p>Qnet. ar 5000 St. d 2. 5% 18% Vdaf 40% Na<sub>2</sub>O 2. 0% 0. xxx /</p>	<p>1. 5000 Qnet. ar 4700 Kcal / 100 0.002 / 2. Qnet. ar &lt;4700 Kcal / Qnet. ar 100 0.005 / 40%&lt;Vdaf 42% Vdaf 1 0.002 / Vdaf 42% 0.005 / 1 8000 &lt; 12000 0.02 8000 / &gt;12000 12000 0.03 /</p>	<p>1. 2. 5%-St. d 3. 0% St. d 0.1 1 2. 3. 0%-St. d 3. 5% St. d 0.1 2 3. St. d&gt;3. 5% St. d 0.1 5 2. 0% 1. 2. 0%-Na<sub>2</sub>O 3. 5% 0.1 5 0.1 2. 3. 5%-Na<sub>2</sub>O 4. 5% 0.1 10 3. Na<sub>2</sub>O&gt;4. 5% 0.1 20 0.1</p>	<p>90-110% 80% &lt;90% -0.002 / 70% &lt;80% -0.004 / 60% &lt;70% -0.006 / 50% &lt;60% -0.008 / 40% &lt;50% -0.010 / &lt;40% -0.020 /</p>			
	<p>Qnet. ar 4700Kcal / St. d 4. 0% 15% Vdaf 42% Na<sub>2</sub>O 2. 0%</p>	<p>Qnet. ar &lt;4700 St. d 4% Vdaf &lt;15% Vdaf 42% 210% Vdaf &lt;15% 20 / Vdaf &lt;18% 20 /</p>				
		( / . )	(%)	%	%	
		18% Vdaf 40%	2. 5%	5000	2. 0%	

1.  
2.  
3.

3000

3

n

mí

“A9” 3E “ ”